



[Click Here To View](#)
[Item at](#)

www.GapPower.com

Sales • Rentals
Parts & Service

RP 340 PRESS TOOL

Introducing the next generation of Pressing Technology from RIDGID®.

Built to Impress.



BENEFITS

- **30% smaller tool** increases maneuverability.*
- **17% lighter tool** reduces operator fatigue.*
- **31% longer service interval** (up to 42,000 cycles) maximizes uptime.*
- **More than 400 presses per charge** (with Advanced Lithium 4 Battery).
- **Ultimate flexibility** with the ability to switch between battery and AC power on the same tool.

*Versus RP 330-B

SPECIFICATIONS

- Capacity: ½" – 4" (Copper and Stainless Steel), ½" – 2" (PEX)
- 270° Barrel/Jaw Swivel
- Hydraulic Ram Output: 7,200 lbs. (32kN)
- Weight: 8.5 lbs. (w/Battery), 9.5 lbs. (w/AC Power Adapter)
- Operating Temperature Range: 15°F to 122°F
- Approximate Cycle Time: 4 seconds
- LED-light For Continued Operations In No or Low-light Environments
- Longest service interval in the industry: 42,000 Cycles
- Compatible With All Standard Series Pressing Jaws and Attachments From RIDGID®
- For Use With Copper and Stainless Steel Tubing, Steel Pipe, PEX and Cutting Soil Pipe.
- Battery Tool Kit Includes: RP 340 Press Tool, (2) 18V Advanced Lithium 2 Batteries, 120V Advanced Lithium Battery Charger, and Carrying Case
- Corded Tool Kit Includes: RP 340 Press Tool, AC Power Adapter and Carrying Case



ORDERING INFORMATION

CATALOG NO.	DESCRIPTION	WEIGHT	
		(lb.)	(kg)
43348	RP 340 Battery Press Tool Kit (No Jaws)	19	8.6
43353	RP 340 Battery Press Tool Kit w/ProPress Jaws (½"-1")	31	14.1
43358	RP 340 Battery Press Tool Kit w/ProPress Jaws (½"-2")	51	23.1
43363	RP 340 Corded Press Tool Kit (No Jaws)	16	7.3
43368	RP 340 Corded Press Tool Kit w/ProPress Jaws (½"-1")	28	12.7
43373	RP 340 Corded Press Tool Kit w/ProPress Jaws (½"-2")	48	21.8
44483	RP 340 Press Tool Only	6	2.7
43378	RP 340 Press Tool Carrying Case	8	3.6
44693	18V Advanced Lithium 2 Battery	1	0.5
44698	18V Advanced Lithium 4 Battery	1.5	0.7
43458	18V Advanced Lithium Battery Charger	2	0.9
44798	18V Advanced Lithium Battery Charger Replacement Cord	.5	0.2
44468	120V AC Power Adapter	1	0.5



RIDGID.COM

STANDARD PRESS JAWS AND ACCESSORIES

Standard Jaws for ProPress®

Jaws are designed in conjunction with the Viega® ProPress system to ensure total system compatibility when joining ½" – 2" copper and stainless steel tubing.



Standard Jaws for PureFlow™

Jaws are designed in conjunction with the Viega PureFlow system to ensure total system compatibility when joining ½" – 2" PEX tubing.



Rings for ProPress

Rings for ProPress permit access in tighter spaces and serve as an excellent complement to your RIDGID® jaw sets. The swivel actuator allows a press tool to be placed +/- 90 degrees to the tube being pressed for ½" - 2" connections.



ProPress XL-C® Rings

XL-C Rings and V2 Actuator Jaw include a patented swiveling feature that allows the tool to be placed +/- 90 degrees to the tube being pressed, allowing greater access in tight spaces. Designed in conjunction with the ProPress XL-C fittings, these rings work with RIDGID® Standard Press Tools ensuring total system compatibility with 2½" - 4" connections.



MegaPress® Jaws & Rings

Jaws & Rings join ½" to 2" commercially-available Schedule 5-40 Black Iron Pipe when used with RIDGID Standard Press Tools and Viega MegaPress Fittings.



Press Snap™ Soil Pipe Cutter

The Press Snap Soil Pipe Cutter expands the capabilities of RIDGID Standard Press Tools by providing a fast and easy way to cut cast iron soil pipe. Without lengthy lever arms used by traditional soil pipe cutters, improved access is a snap.



MegaPress®, ProPress® and Viega® are registered trademarks of Viega GmbH & Co. RIDGID® and Press Snap™ are registered trademarks of RIDGID, Inc.

PureFlow® and XL-C® are registered trademarks of Viega LLC.