



Click Here To View  
Item at

[www.GapPower.com](http://www.GapPower.com)

*Sales • Rentals  
Parts & Service*



# Stump Grinders

Handlebar, Self-Propelled, Towable and Track Units



**Bandit**  
INDUSTRIES, INC.

# With a Bandit handlebar stump grinder, it's as easy as *tow and go*.

That's right – our innovative designs start here, at our smallest and most compact stump grinders! With towing attachments and unique center-pivot swivel designs, even our handlebar stump grinders stand head and shoulders above the competition. Take your operation to the next level by adding a Bandit stump grinder to your fleet.



**WATCH IT RUN!**

# Handlebar Stump Grinders

The lightweight solution for tight backyard areas.

These compact machines are the perfect solution for grinding stumps in tight and restricted areas not accessible by larger, self-propelled models. With three models to choose from, you'll find the perfect complement to your tree removal equipment fleet.

## ON A BUDGET?

- Choose the compact and economical **Model HB19** manual or self-propelled unit.
- Available with convenient tow-bar (shown below).
- Perfect for occasional grinding and rental operations.

## LOOKING FOR A TIME AND MONEY SAVER?

- **The Model HB20 Sidewinder** is the grinder for you!
- Unique center-pivot design (shown at left) allows for ease of operation and reduces operator fatigue.



MODEL HB19SP



MODEL HB20SP

## QUICK COMPARISON

	MODEL HB19 MANUAL		MODEL HB19 SELF-PROPELLED		MODEL HB20 SELF-PROPELLED	
	STANDARD	METRIC	STANDARD	METRIC	STANDARD	METRIC
LENGTH: (HANDLE DOWN)	98"	249 cm	100"	254 cm	91"	231.14 cm
WIDTH:	29" or 34"	74 - 86 cm	36"	91.4 cm	30"	76.2 cm
HEIGHT: (HANDLE UP)	54"	137.2 cm	54"	137.16 cm	64.5"	163.83 cm
WEIGHT*:	550 - 650 lbs.	250 - 295 kg	600 lbs.	272.1 kg	650 - 750 lbs.	295 - 340 kg
ENGINE:	13 hp	kW	27 hp	20.1 kW	27 hp	20.1 kW
CUT/SWING:	N/A	N/A	N/A	N/A	41"	104.14 cm
CUT DEPTH:	22"	55.9 cm	22"	55.9 cm	22"	31.75 cm
CUT HEIGHT:	22.75"	57.78 cm	24"	60.96 cm	22.75"	57.8 cm
# TEETH:	8	8	8	8	8	8
WHEEL DIAMETER:	14"	35.56 cm	14"	35.56 cm	14"	35.56 cm
WHEEL THICKNESS:	3/8"	.95 cm	3/8"	.95 cm	3/8"	.95 cm
SELF-PROPELLED SYSTEM:	Manual		Hydraulic		Hydraulic	
FUEL TANK CAPACITY:	4 gallons	15.14 L	4 gallons	15.14 L	4 gallons	15.14 L
HYDRAULIC TANK CAPACITY:	N/A	N/A	N/A	N/A	1.5 gallons	5.68 L

\*Specifications may vary with engines and options selected.  
For additional information contact your local authorized dealer.



MODEL HB19 MANUAL  
WITH TOWING PACKAGE