



Click Here To View
Item at

www.GapPower.com

*Sales • Rentals
Parts & Service*

You've just hit the big tine.

The Honda Rear-Tine Tiller never met a job it didn't like. The tougher, the better. With plenty of power and specially designed tines, it will churn through just about anything. And it's backed by a 3-Year Residential and Commercial Warranty. The FRC800 is self-propelled with multiple speeds and the durable engine and chain-driven tines give it that extra punch. Safety is also a Honda concern, with reverse lock-out, a rear shield and color-coded controls. Everyone likes power. Just wait till you get your hands on one of these.

FRC800 REAR-TINE TILLER

Features the powerful Honda overhead valve (OHV) four-stroke engine, three forward gears and one reverse, standard bumper guard and 12" tines for deep tilling.

FULL LOOP HANDLE

Ergonomically designed to allow tiller operation from either side to avoid walking in a tilled path.



Honda Four-Stroke Overhead Valve (OHV) Engine

Legendary Honda commercial-grade OHV engines are reliable, easy to start, and incredibly rugged. They're also easy to use and, due to Honda's four-stroke technology, they run smoothly and efficiently.

REAR-TINE

REAR-TINE TILLERS



ADJUSTABLE DEPTH BAR

This convenient feature lets you change the tilling depth.



RUGGED FRONT GUARD

Protects the engine and transmission.

OPTIONAL ACCESSORIES



FURROWER

HILLER/FURROWER

Increases garden productivity by quickly creating raised beds and planting/irrigation ditches.



HILLER



Ahhh, yes, another day of tilling. The soothing sun is overhead. A breeze tickles the trees. Nature is your friend. So is the Honda, always reliable and ready to lend a hand. Together, you move easily ahead, tilling the earth as if opening its arms to the seeds. Yeah, some people call this work. To you, it's just another day in the sun. Maybe because you're so down-to-earth.

MINI

MID-TINE

REAR-TINE

FEATURES

| | FG110K1AT | F220† | FC600A | FRC800 |
|--|-----------|-------|--------|--------|
| Engine MINI FOUR-STROKE | ● | | | |
| GX SERIES OHV | | ● | ● | ● |
| Clutch Disengagement Lever | ● | ● | ● | ● |
| Folding Handle | ● | ● | ● | |
| 3-Position Handle Adjustment | | ● | ● | |
| 4-Position Handle Adjustment | | | | ● |
| Full Loop Handle | | | | ● |
| Easy Access Controls | ● | ● | ● | ● |
| Side Discs Standard | | | ● | |
| Transport Wheel(s) | ● | ● | ● | ● |
| Transmission WORM GEAR | ● | | | |
| GEAR DRIVE | | ● | ● | ● |
| CHAIN DRIVE | | | ● | ● |
| Muffler Heat Protector | ● | ● | ● | ● |
| Front Engine Guard | ● | ● | ● | ● |
| 2-Year Residential Warranty* | ● | ● | | |
| 3-Year Residential & Commercial Warranty | | | ● | ● |
| Lifetime Tine Warranty** | ● | | | |
| Adjustable Depth Bar | ● | ● | ● | ● |

SPECIFICATIONS

| | FG110K1AT | F220 | FC600 | FRC800 |
|----------------------------|--------------|-----------|--------------|------------------------|
| Engine Displacement | 25cc | 57cc | 163cc | 242cc |
| Transmission Speeds | 1-Forward | 1-Forward | 1-Forward | 3-Forward 1-Reverse |
| Tilling Width | 9" | 21" | 26.4" | 20" |
| Tine Diameter | 8" | 11" | 13" | 12" |
| Air Filter | Semi-dry | Dry Paper | Dual Element | Dual Element |
| Fuel Tank Capacity | 0.15 gal. | 0.18 gal. | 0.70 gal. | 1.2 gal. |
| Dry Weight | 24.9 lbs.*** | 49.6 lbs. | 130 lbs. | 275 lbs. |

OPTIONAL ACCESSORIES

| | FG110K1AT | F220 | FC600 | FRC800 |
|-----------------------------------|-----------|------|----------|--------|
| Furrower Attachment | | ● | ● | |
| Hiller/Furrower Attachment | | | | ● |
| Aerator | ● | | ● | |
| Border/Edger | ● | | | |
| De-thatcher | ● | | | |
| Digging Tines | ● | | | |
| Side Discs | | ● | Standard | |

* Refer to the Distributor's Limited Warranty for details.

** Lifetime warranty for tine breakage only. Valid for the original purchaser for residential use only. See your distributor for details.

*** Weight with depth bar. Weight with wheels is 26.8 lbs.

† Special F220AC California model available.

HONDA

Lawn & Garden

Visit us at www.honda.com



For optimum performance and safety, we recommend you read the owner's manual before operating your Honda Power Equipment. Specifications subject to change without notice.

All images contained herein are either owned by American Honda Motor Co., Inc., or used under a valid license. It is a violation of federal law to reproduce these images without express written permission from American Honda Motor Co., Inc., or the individual copyright owner of such images. All rights reserved. Honda, the Honda Lawn & Garden logo, Honda tiller model names and their trade dress are trademarks of Honda Motor Co., Ltd. used under license from American Honda Motor Co., Inc. Many Honda engine, tiller, and vehicle model names, and associated trade dress may be seen at www.honda.com. ©2012 American Honda Motor Co., Inc. C0336