

By far the fastest and easiest decking system you'll ever use!



The HIDfast way - Using the HIDfast Decker means not only do you stay on your feet, in 3 minutes time you can install 8 deck boards.

100 square feet = 10 MINUTES



The old fashion way - Using a screw gun and screws means sore knees and in 3 minutes time installing only 2 deck boards.



Don't use unsightly screws that will rust or pop up and over time cause cracking, splitting and rot.



HIDfast is the fastest, easiest way to get a fastener free surface for a lasting, beautiful appearance. Patented, worry-free, stainless steel fasteners are collated for easy handling and quick loading. Patent pending pneumatic tool delivers precise, consistent, effortless installation.



HIDfast
P.O. Box 788
Kingston, NH 03848
www.HIDFAST.COM



Patented, Collated, Stainless Steel, Hidden Fastener Decking System

Best Labor Savings on the Market, Thanks to the Unmatched Speed of HIDFAST™

- **EASY**
- **FAST**
- **INVISIBLE**
- **STRONG**
- **DURABLE**



Patented, stainless steel fasteners are collated for easy handling and quick loading.

**THE FIRST AIR DRIVEN
All Stainless Steel, Hidden Fastening
System In The World That Can Fasten
Square Edge, Pre-grooved And T&G Decking.**




**Works With Virtually All decking
Wood, Composite And PVC.**

HIDFAST is the fastest and easiest hidden fastening system for virtually all decking types




Patented, Collated, Stainless Steel, Hidden Fastener Decking System



Making HIDfast™ the only fastener you'll ever need!



- **EASIEST**
- **FASTEST**
- **INVISIBLE**
- **STRONG**
- **WON'T RUST**



A single package of 175 patented, collated, stainless steel fasteners will do 100 square feet of 6" decking when installed 16" on center.


SQUARE EDGE

DECKING	FASTENERS
PVC	HF2.5, HF3, HF3M, HF3W
Soft Wood	HF3, HF3M, HF3W
Medium Density Wood	HF3, HF3M, HF3W



TONGUE and GROOVE


DECKING	FASTENERS
PVC	HF2.75TG
CVG Wood up to 5/4" thick	HF2.75TG



DOUBLE GROOVE ONLY

DECKING	FASTENERS
Composites	HF3M, HF3W
Hard Wood	HF3M, HF3W

It's easy as:



Always check with board manufacturer for recommended gapping requirements.


Go to www.hidfast.com for more information.



What Fastener to Use

Installs decking up to 5 times faster and with a positive deck plank to joist connection,
"Using anything else is just a waste of time"



Deck Products	Preferred Fastener		Suggested PSI	Spacer Plate	
PVC Decking	Pkg	Square Edge & Grooved Decking	PSI Range	Spacer Plate	Square Edge Only
AZEK, Club House, Endeck, Wolf, Veka, Fiberon, Deckorators	Can use any of the following HF-3, HF3M, HF3W	Yes	100-110	1/8" - 1/4"	Yes
Capped & WPC Decking	Pkg	Grooved Decking Only	PSI Range	Spacer Plate	Grooved Decking Only
Trex	HF-3W	Yes	100-110	1/4"	Yes
TimberTech, Fiberon, Wolf, Evergrain, Moistureshield, Deckorators, and other brands	HF-3M	Yes	100-110		
Wood Decking	Pkg	Square Edge or Grooved Decking	PSI Range	Spacer Plate	Square Edge Decking
Pressure Treated			100-110	0- 1/8"	Yes
WRC	HF-3	Yes	70-90	1/8" to 1/4"	Yes
Redwood	HF-3	Yes	70-90	1/8" to 1/4"	Yes
Fir	HF-3	Yes	70-90	1/8" to 1/4"	Yes
Mahogany	1x4 HF-3M / 5/4x6 HF-3W	Yes	100-110	1x4 -3/16 5/4x6 1/4"	Yes
Kebony	HF-3W	Yes	100-110		
Porch Floor	Pkg	T&G	PSI Range	Not Included	T&G Only
3/4" Porch Floor CVG Fir or PVC			80-100	T&G	Yes
7/8" Porch Floor, PVC			100-110	T&G	Yes
1" Porch Floor, CVG Fir or PVC	HF-2.75TG	Yes	100-110	T&G	Yes

HIDfast fastener codes, and plank gapping: HIDfast - HF-3 = 1/8" - Hid-Fast - HF-3M = 3/16" - Hid-Fast - HF-3W = 1/4" - Hid-Fast - HF-2.5WG = 1/4" - Hid-Fast - HF-2.75TG

EDGEfast one size fastener with interchangeable space plates from 0, 1/8", 3/16", 1/4" and 2 for T&G, available in 304 Stainless or Premium Edgecoat finish for a more economical fastener

For a Quick HIDfast Product Demo



Scan QR Code or enter in your browser: youtu.be/LX_3g_2s5_k

For a Quick EDGEfast Product Demo



Scan QR Code or enter in your browser: youtu.be/-th17Eh5dcw