



Click Here To View  
Item at

[www.GapPower.com](http://www.GapPower.com)

*Sales • Rentals  
Parts & Service*



## Clarke BEXT<sup>®</sup> Pro Portable Extractors

- Instant, **continuous heating** of 212° solution attacks tough carpet stains
- Two pressures — **100 psi and 400 psi** — allow for enhanced cleaning flexibility
- **Three models**, with heated and non-heated performance, are available to satisfy applications ranging from simple carpet restoration to deep extraction
- **Clam shell design** allows for easy equipment access and maintenance
- **CRI Seal of Approval** ensures a safe, sustainable cleaning solution



*The Bext<sup>®</sup> Pro Portable Extractor delivers the cleaning power to match all of your carpet extraction jobs, available in three models for superior flexibility.*

Trusted. Reliable. Efficient.

A Nilfisk-Advance Brand

# Clarke<sup>®</sup>

# Superior deep extraction performance with instant, continuous heating capabilities provide enhanced carpet care.



## Effortless Design

The Bext® Pro features a simple clam shell design, which permits easy component access and maintenance, while a 13 gallon solution tank enables you to tackle large jobs or easily maneuver in compact areas. Equipped with exclusive circuit finder technology on heated models, the Bext Pro easily identifies when the machine is plugged into separate circuits. The Bext Pro also offers self-contained storage for the power cord and a compartment for detergent bottles, hand tools and other cleaning accessories—providing increased cleaning convenience.

## Flexible Operation

The Bext Pro surpasses comparable extractors when it comes to cleaning flexibility. With two pressures available—100 psi and variable 0–400 psi—you can choose the extractor best suited for the job at hand, satisfying light duty cleaning and deep extraction requirements. A cost-effective, non-heated 100 psi model is also available for simple restoration applications. Plus, from floor tools to solution and recovery hoses, you have the opportunity to equip your portable extractor to meet exact cleaning requirements while remaining within your budget.

## Sustainable Cleaning

All models of the Clarke Bext Pro have earned the Carpet & Rug Institute's (CRI) Seal of Approval for carpet extraction. The CRI Seal of Approval program identifies effective carpet cleaning solutions and equipment that clean carpet right the first time and protect a facility's carpet investment. Additionally, the CRI Seal of Approval indicates equipment meets requirements for Leadership in Energy and Environmental Design (LEED) certification and the Green Seal Standard for Commercial and Institutional Cleaning Services (GS-42). All models also feature CSA (Canadian Standards Association) and ETL (Intertek Testing Services) certifications, ensuring the Bext Pro complies with rigorous safety and performance standards.




## Easy-to-use, portable extraction increases cleaning productivity!



### Separate cords

Independent, disconnect cords for heater and vacuum/pump on heated models ensure easy operation. Outlets allow for the power cords to be disconnected.



### Circuit locator technology

An independent circuit locator identifies when the machine is plugged into separate circuits. Waterproof control panel to protect against spills.



### Equipment models

The Clarke Bext Pro line of portable extractors is available in three models: non-heated 100-psi, heated 100-psi and heated, variable 0-400-psi to meet diverse cleaning applications.

# BEXT® Pro



### Wands and vacuum/solution hose

Operators can select between multiple wands, in addition to solution and recovery hoses of various lengths to meet their exact carpet extraction needs. The low friction glide and light weight AquaWand™ is designed for less operator fatigue and greater productivity.



### Hand tool

Optional hand tool makes cleaning partitions, fabrics and upholstery a snap.



### Clam shell design

Clam shell design allows easy, quick access to machine components for servicing and maintenance.





SPECIFICATIONS	BEXT® Pro 100	BEXT® Pro 100H	BEXT® Pro 400H
Part Number	56105308	56105309	56105310
Vac Motor	5.7 in (14.5 cm), 3-stage, 12.5 A, 115 V/60 Hz		
Waterlift	137 in (348 cm)		
Airflow	107 CFM (3,030 L/min)		
Vac Shut-off	Ball float		
Pump	100 psi, demand pump, self priming	0-400 psi adjustable positive displacement, includes priming hose	
Heater	No	1,750 W, instant heat	
Power Cords	25 ft (7.62 m) 12/3 gauge		
Circuit Locator	No	Yes	
Solution Tank	13 gal (49.2 L)		
Recovery Tank	10 gal (37.9 L)		
Rear Wheels	12 in (30.5 cm), non-marking		
Dimensions (L x W x H)	37 in (94 cm) x 18 in (45.7 cm) x 34.5 in (87.6 cm)		
Weight	74 lb (33.6 kg)	84 lb (38.1 kg)	105 lb (47.6 kg)

Specifications are subject to change without notice.



## Applications

- Contract Cleaners
- Office Buildings
- Hospitality Facilities
- Government Buildings and Installations

## “Green” benefits

- CRI Seal of Approval ensures safe, effective carpet cleaning
- LEED and GS-42 certification indicate green cleaning performance
- CSA and ETL certification ensure compliance with rigorous safety and performance standards



©2011 Nilfisk-Advance, Inc. All rights reserved. P/N L3255C 11/11

## Safety features

- Reduced body strain and stress
- No open, unsecured doors
- Self-contained storage minimizes safety issues with equipment accessories

## Productivity

- Instant, continuous heat-up to 212° F at spray tip
- High pressure
- Durable, user-friendly design

## Accessories

- 15 foot Crush-Proof Vacuum/Solution Hose
- 25 foot Crush-Proof Vacuum/Solution Hose
- Extractor Vacuum/Solution Extension Hose
- Exclusive Clarke AquaWand™
- Stainless Steel Cleaning Wands
- Stainless Steel Hand Tool
- 4 ½ inch Upholstery Tool
- 3 ½ inch Enclosed Automotive Detail Tool
- Black Mesh Bag

14600 21st Avenue North • Plymouth, MN 55447-3408  
Phone: 800.253.0367 • Fax: 800.825.2753

240 Superior Boulevard • Mississauga, Ontario, Canada L5T 2L2  
Phone: 800.668.8400 • Fax: 800.263.5111

# Clarke®

www.clarkeus.com

A Nilfisk-Advance Brand