



Ultra[®] Airless Handheld

The world's most advanced handheld paint sprayers.



PROVEN QUALITY. LEADING TECHNOLOGY.

ULTRA[®]

AIRLESS HANDHELDS

Breakthrough Performance, Reliability, Finish.

FASTEST WAY TO FINISH SMALL JOBS – PROVEN BY PROS!

Save time and money by using one tip across all airless machines with the all new patented technology **RAC X™ FFLP SwitchTips™** – available in a wide range of sizes to meet the performance needed on each and every job. The patented **FlexLiner™ Bag System** allows quick start-up, spray, and cleanup to help you get on and off the job quickly with the ability to spray in ANY direction – even upside down! Pros agree, it's the fastest way to a Perfect Airless Finish.



Pros agree. Airless handheld sprayers are the essential tool for turning small jobs around fast. Industry-tested Graco Ultra handhelds are the most advanced in the world, delivering unbeatable speed, flawless finish, and next-use reliability.

RELIABILITY DELIVERED – EVERY JOB, EVERY TIME

Triax™ triple piston pump gives you the most reliable performance in the industry and full tip support. It's built from durable stainless steel and carbide components and bonded with a high strength polymer for the most durable, lightest weight pump. Innovative **Drop-In On-the-Job Triax Pump Replacement with ProConnect™** lets you replace your modular pump right on the job.



PATENTED TECHNOLOGY



1. Remove the cover with a screw driver.



2. Remove the old pump from the sprayer.



3. Place new pump into sprayer.

PERFECT AIRLESS FINISH™ AT ANY SPEED – WITHOUT THINNING

SmartControl™ brings a Perfect Airless Finish to handheld spraying. Precise pressure delivers single coat coverage at any hand speed – with no thinning! **ProControl™ II** adjusts motor speed to deliver total pressure control. Ultra handheld sprayers deliver the same superior finish as Graco's larger airless sprayers – in the palm of your hand. Sprays all architectural coatings.



Cordless models spray up to 1 gallon (3.78 liter) with each charge, thanks to the DEWALT 20V lithium ion system – the most reliable and trusted battery on the market today. Best of all, it works with any DEWALT 20V Lithium Ion battery.



POWERED BY
DEWALT

SPRAYS WATER & MINERAL SPIRITS
BASED MATERIALS

SPRAYS WATER, SOLVENT &
FLAMMABLE BASED MATERIALS



ULTRA CORDED
(17M359)

ULTRA CORDLESS
(17M363)

ULTRAMAX™
(17M367)

DEWALT® and the DEWALT Logo are trademarks of DEWALT Industrial Tool Co. and are used under license.



From Start To Finish, The World's Most Advanced Handheld Paint Sprayer.

**FASTEST WAY TO FINISH
SMALL JOBS – PROVEN BY PROS!**

**PERFECT AIRLESS FINISH AT
ANY SPEED – WITHOUT THINNING**

**RELIABILITY DELIVERED
– EVERY JOB, EVERY TIME**



EXCLUSIVE BREAKTHROUGH TECHNOLOGY!

ULTRA[®] AIRLESS HANDHELD

RAC[®] X FF LP Tips

Reverse-A-Clean (RAC) SwitchTips deliver exceptional spraying results and make clearing tip clogs simple. Spray at lower pressure with ANY Graco Sprayer.

TRIAx Triple Piston Pump

Durable carbide piston built to deliver extended reliability.

32 oz (0.95 l) FlexLiner

All new easy-to-clean design!

Disposable liners eliminate cleanup time.

Spray in ANY direction – even upside down!

PRO CONNECT

Drop-In On-the-Job Triax pump replacement

ProControl™ II Pressure Control

Adjust motor speed and flow for TOTAL control with thin and thick materials

SmartControl

Delivers consistent spray fan at all spray pressures

POWERED BY DEWALT[®]

Compatible with any 20V Lithium Ion DEWALT battery

LED Fuel Gauge

LIGHTEST PRO AIRLESS HANDHELD!

Triax Triple Piston Pump with ProConnect.

CHECK UNDER THE HOOD AND DISCOVER THE BREAKTHROUGH TRIAX DELIVERS!

ULTRA[®]

AIRLESS HANDHELDS



UNMATCHED PERFORMANCE

▶ All Ultra & UltraMax sprayers have FULL performance with RAC X FFLP Tips



PRESSURE AND TIP SUPPORT		MATERIALS OF CONSTRUCTION	
FULL PRESSURE RANGE	FULL RANGE TIP SUPPORT	WEAR	HOUSING
500 - 2000 PSI	.008 - .016	Carbine & Stainless Steel	High Strength Polymer



RELIABLE START UP

No stuck components – EVER!

- ▶ No inlet check valve to get stuck
- ▶ Automatic Outlet Ball Knocker



PERFECT AIRLESS FINISH

- ▶ Smooth and even at any speed
- ▶ No thinning
- ▶ Single-coat coverage



1. Remove the cover with a screw driver.



2. Remove the old pump from the sprayer.



3. Place new pump into sprayer.

EASY MAINTENANCE WITH PROCONNECT

▶ Drop-in on-the-job Triax pump replacement



	ULTRA AIRLESS HANDHELD - CORDED	ULTRA AIRLESS HANDHELD - CORDLESS	ULTRAMAX AIRLESS HANDHELD - CORDLESS
Part Number	17M359	17M363	17M367
"Hot" Solvent Capable	No	No	Yes
Pressure Control	Yes	Yes	Yes
Pressure Adjustment	500-2000 psi (34-138 bar)	500-2000 psi (34-138 bar)	500-2000 psi (34-138 bar)
Tip Support	RAC X FFLP Tips ONLY .008 - .016	RAC X FFLP Tips ONLY .008 - .016	RAC X FFLP Tips ONLY .008 - .016
Tip(s) Included	RAC X FFLP 514	RAC X FFLP 514	RAC X FFLP 514 & RAC X FFLP 210
32 oz FlexLiner Bags Included	4	4	6
Power/Battery	-	(2) DEWALT 20V MAX* COMPACT 2.0 ah XR Lithium Ion Batteries and (1) Charger	(2) DEWALT 20V MAX* COMPACT 2.0 ah XR Lithium Ion Batteries and (1) Charger
Filter Mesh Included	60 Mesh	60 Mesh	60 & 100 Mesh
Fully Repairable	Yes	Yes	Yes
ProConnect	Yes	Yes	Yes
Storage Bag	Yes	Yes	Yes
Triax Replacement Pump	17P185	17P186	17P187
Triax Repair Kit	17P183	17P183	17P183
Manual	3A4433	3A4476	3A4803

Accessories

FLEXLINER ACCESSORIES:

- 17A226 - 32 oz (0.95 l) FlexLiner Paint Bags (3 pack)
- 17P212 - 32 oz (0.95 l) FlexLiner Paint Bags (25 pack)
- 17F005 - 42 oz (1.2 l) FlexLiner Paint Bags (3 pack)
- 17P549 - 42 oz (1.2 l) FlexLiner Paint Bags (25 pack)
- 17M879 - FlexLiner Storage Plug
- 17R611 - FlexLiner Storage Plug (Solvent Based)

EXTRA FLEXLINER CUP ASSEMBLIES:

- 17P550 - 32 oz (0.95 l) FlexLiner System
- 17P551 - 32 oz (0.95 l) FlexLiner System (Solvent Based)
- 17P552 - 42 oz (1.2 l) FlexLiner System
- 17P553 - 42 oz (1.2 l) FlexLiner System (Solvent Based)

TIPS:

- FFLPXXX - RAC X FFLP SwitchTips

BATTERIES:

- 17P474 - DEWALT 20V MAX XR Lithium Ion Battery
- 17P475 - DEWALT 20V MAX XR Lithium Ion Charger

FILTERS:

- 17P554 - 60 Mesh (3-Pack)
- 17P555 - 100 Mesh (3-Pack)

MISC:

- 17M883 - Storage Case



Every Graco purchase comes with A+ Customer Service.

Questions?
Call (844) 241-9499



NOW AVAILABLE IN A WIDE RANGE OF TIP SIZES TO MEET THE PERFORMANCE NEEDED ON EACH AND EVERY JOB.

FAN WIDTH	ORIFICE SIZE – INCHES					
	In (mm)	0.008	0.010	0.012	0.014	0.016
2-4 (51-102)		108	110	112		
4-6 (102-152)		208	210	212	214	
6-8 (152-203)		308	310	312	314	
8-10 (203-254)			410	412	414	
10-12 (254-305)			510	512	514	516
12-14 (305-356)						616
Flow Rate (gpm)		.07	.11	.15	.21	.27
Flow Rate (lpm)		.26	.41	.59	.80	1.04

Water at 2000 psi (138 bar, 13.8 MPa); paints with a higher viscosity will decrease the flow rate.
Example: For a tip with a .010 orifice and a 8 in (203 mm) pattern, order FFLP410.
Handheld units do not support .018 and .020 orifices.

Warranty

We stand behind every piece of equipment we manufacture with the industry's strongest warranty. Spray with the confidence that you will probably never need to use Graco's warranty, but if you do... we will be there.

30-DAY "JUST ADD PAINT" REPLACEMENT GUARANTEE

Dissatisfied? Simply return the sprayer to the place you bought it within 30 days. They'll either exchange it for an identical sprayer or you can trade-up to a larger sprayer at an additional cost.

1-YEAR DEFECT WARRANTY

Coverage against defects in materials and workmanship on the entire sprayer.

3-YEAR DEWALT DEFECT WARRANTY.

Coverage against defects in materials and workmanship on batteries and charger.

CONVENIENT SERVICE

Graco offers more than 5,500 authorized distributor locations in North America and over 500 locations to administer warranty repair.



ABOUT GRACO

PROVEN QUALITY. LEADING TECHNOLOGY.

Founded in 1926, Graco is a world leader in fluid handling systems and components. Graco products move, measure, control, dispense and apply a wide range of fluids and viscous materials used in vehicle lubrication, commercial and industrial settings.

The company's success is based on its unwavering commitment to technical excellence, world-class manufacturing and unparalleled customer service. Working closely with qualified distributors, Graco offers systems, products and technology that set the quality standard in a wide range of fluid handling solutions. Graco provides equipment for spray finishing, protective coating, paint circulation, lubrication, and dispensing sealants and adhesives, along with power application equipment for the contractor industry. Graco's ongoing investment in fluid management and control will continue to provide innovative solutions to a diverse global market.

GRACO LOCATIONS

MAILING ADDRESS

P.O. Box 1441
Minneapolis, MN 55440-1441
Tel: 612-623-6000
Fax: 612-623-6777

AMERICAS

MINNESOTA

Worldwide Headquarters
Graco Inc.
88-11th Avenue N.E.
Minneapolis, MN 55413

EUROPE

BELGIUM

European Headquarters
Graco N.V.
Industrieterrein-Oude Bunders
Slakweidestraat 31
3630 Maasmechelen,
Belgium
Tel: 32 89 770 700
Fax: 32 89 770 777

ASIA PACIFIC

AUSTRALIA

Graco Australia Pty Ltd.
Suite 17, 2 Enterprise Drive
Bundoora, Victoria 3083
Australia
Tel: 61 3 9468 8500
Fax: 61 3 9468 8599

CHINA

Graco Hong Kong Ltd.
Shanghai Representative Office
Building 7
1029 Zhongshan Road South
Huangpu District
Shanghai 200011
The People's Republic of China
Tel: 86 21 649 50088
Fax: 86 21 649 50077

INDIA

Graco Hong Kong Ltd.
India Liaison Office
Room 443, Augusta Point
Regus Business Centre 53
Golf Course Road
Gurgaon, Haryana
India 122001
Tel: 91 124 435 4208
Fax: 91 124 435 4001

JAPAN

Graco K.K.
1-27-12 Hayabuchi
Tsuzuki-ku
Yokohama City, Japan 2240025
Tel: 81 45 593 7300
Fax: 81 45 593 7301

KOREA

Graco Korea Inc.
Shinhan Bank Building
4th Floor #1599
Gwanyang-Dong, Dongan-Ku,
Anyang-si, Korea 431-060
Tel: 82 31 476 9400
Fax: 82 31 476 9801

SALES/ DISTRIBUTION/ SERVICE

Call today for product information or to request a demonstration.

800-690-2894 or visit us at www.graco.com.

Graco Inc. is registered to I.S. EN ISO 9001

North America
Customer Service
800-690-2894
Fax 800-334-6955

©2017 Graco Inc. 344104 Rev. A 1/17 All written and visual data contained in this document are based on the latest product information available at the time of publication. Graco reserves the right to make changes at any time without notice. All other brand names or marks are used for identification purposes and are trademarks of their respective owners. Blue is a trademark of Graco Inc. for Contractor Equipment Sprayers. Product covered by issued and pending patents, see hgraco.com/us/en/patents. DeWALT® and the DeWALT Logo are trademarks of DeWALT Industrial Tool Co. and are used under license. Product covered by issued and pending patents, see graco.com/us/en/patents