

PWVM600MH

MADE IN CANADA 

# PERIMETER WIRE MACHINE

**PERFORMS  
LIKE NEVER  
BEFORE!**

**HIGH PERFORMANCE  
MACHINE, DESIGNED  
FOR PROFESSIONALS!**

- **LIGHTWEIGHT**
- **SELF-PROPELLED**
- **PRECISE**
- **FOR ALL WIRE SIZES\***

\*Up to 4 mm in diameter



**POWERED by  
HONDA™**

BY

**PORTABLE  
WINCH™**

## TECHNICAL DATA

**Engine :** HONDA GXH-50 2.1 HP - 4-stroke

**Speed :** 15 m/min

**Wire depth :** 4 to 6 cm

**Tires :** 4.10" x 10"

**Weight :** 34,1 kg

**Dimensions :** 56 cm x 46 cm x 125 cm  
(Packaging : 62 cm x 62 cm x 48 cm - 39 kg)

**Warranty :** • One (1) year limited  
• Engine: Honda International Warranty



# NO MATTER WHAT, THE PWR



## 4-STROKE HONDA GXH-50 CC ENGINE

- Reliable
- Rugged
- Equipped with an hour meter for easy maintenance planning

## SELF-PROPELLED TRANSMISSION

- Integrated control in the handle
- Decreases operator effort
- Improves productivity

## STEEL FRAME

- Solid
- High-resistance paint
- Easy maintenance

## EDGE DISTANCE GUIDE

- Adjustable from 15 cm to 45 cm
- Allows meeting robot manufacturer's requirements

## KICKSTAND

- Retractable
- Allows blade clearance on start-up

## WIRE GUIDE

- Optimal shape for wire flow
- Sturdy
- Easy to reach
- Protects tube from wear

## HARDENED STEEL BLADE

- For all soil types
- Reversible with two types of teeth
- Offset 15 cm from the outside of the wheel
- Easy to replace

## SLIDING FOOT

- Reduces the accumulation of debris around the blade and its axis
- Facilitates insertion of the blade into the ground
- Prevents grass damage



## ALSO AVAILABLE :

### HEAVY DUTY SOLID CARBIDE BLADE

- For stony and/or very compacted soils





# M600MH WILL DO THE JOB!


## ADJUSTABLE MULTI-POSITION HANDLE

- Tilts 180 degrees front and back
- Pivots 30 degrees to the right
- Facilitates operation in tight spaces
- Ergonomic
- Reduces vibration

YOU CAN EASILY INSTALL THE WIRE UNDER HEDGES, SHRUBS AND LOW BRANCHES USING THE SIDEWAYS HANDLE PIVOT!



Get right into the corners!



# INSTALL WIRE FROM ALL ROBOT MANUFACTURERS

THE 600MH is equipped with stepped centering hubs, plastic spacers and rubber damper in order to uncoil wire smoothly from most reel types up to 800 meters.

## Optional accessories available:

- PWMA-0001** ■ The Perimeter Wire Drum allows to wind up bulk wire that comes with some robots.
- PWMA-0002** ■ The Perimeter Wire Box 18 cm X 18 cm is designed for coils emptying from the center (e.g.: Robomow & Viking - 100 m)
- PWMA-0003** ■ The Perimeter Wire Box 22.5 cm X 22.5 cm is designed for boxes emptying from the center (e.g.: AL-KO - 150 m)
- PWMA-0006** ■ The Perimeter Wire Meter measures meters of wire as you install



## REVOLUTIONNARY DESIGN = HIGH PRODUCTIVITY AND PROFITABILITY!

- Can bury up to 600 meters of wire per hour
- Easily transported, due to its small size and lightweight
- Comfortable work position with ergonomic pivoting handle
- Low profile and offset handle allows for work along wide hedges, shrubs and under low branches
- Closer to the edge due to its off-centered cutting blade
- Turns sharp corners thanks to its small turning radius
- Self-Propelled: decreases operator effort considerably

### ORDER NOW!

Europe : +43 5552 63868  
Canada & USA : 1 888 388-7855

[600MH.com](http://600MH.com)

SOLD BY: