



Click Here To View
Item at

www.GapPower.com

*Sales • Rentals
Parts & Service*

CORDLESS CONCRETE METALWORKING WOODWORKING PNEUMATIC SAWS DRILLS BENCHTOP

8-1/4" Magnesium Circular Saw

5008MGA

Electric Brake, w/Light



MAGNESIUM



Largest Cutting Capacity in its Class

- Magnesium components create a lightweight saw that's jobsite tough
- Large cutting capacity (3" at 90°) and bevel capacity (0 - 50°) with positive stops at 22.5° and 45°
- Two built-in L.E.D. lights illuminate the line of cut for increased accuracy
- Blade wrench is attached to the saw for fast and convenient blade changing
- Includes premium blade and electric brake for maximum productivity

MODEL 5008MGA INCLUDES: Carbide tipped blade (24T) (D-21521), Blade wrench (783204-6), Rip fence (164095-8)

Specifications:

Blade diameter	8-1/4"
Arbor	5/8"
Max. cutting capacities:	
	at 90° (3"), at 45° (2-1/4")
No load speed	5,200 RPM
Watts out	2,300
AMPS (120V)	15.0
Overall length	13-1/8"
Net weight	11.4 lbs.
Shipping weight	15.1 lbs.

10-1/4" Circular Saw

5104

Electric Brake



Cuts 4x Material in a Single Pass

- 14 AMP motor delivers enough power to cut beams and timber
- Well balanced and weighs only 20.3 lbs. for better control
- Precision gearing with ball-and-needle bearing construction for smooth and efficient power transmission
- Electric brake for maximum productivity

MODEL 5104 INCLUDES: Carbide tipped blade (24T) (A-94910), Blade wrench (783204-6), Rip fence (165499-7)

Specifications:

Blade diameter	10-1/4"
Arbor	5/8"
Max. cutting capacities:	
	at 90° (3-3/4"), at 45° (2-3/4")
No load speed	3,800 RPM
Watts out	2,100
AMPS (120V)	14.0
Length	16"
Net weight	20.3 lbs.
Shipping weight	26.5 lbs.

16-5/16" Circular Saw

5402NA

Electric Brake



Large Cutting Capacity for Beams and Timber

- Cuts 6x material at 90° and 4x material at 45° in a single pass
- Weighs only 32.1 lbs. for ease of operation
- Electric brake for maximum productivity
- Powerful 15 AMP motor delivers enough power to cut through pressure treated lumber

MODEL 5402NA INCLUDES: Carbide tipped blade (32T) (A-90956), Blade wrench (783204-6), Rip fence (164019-4), Saw storage holder (194701-1)

Specifications:

Blade diameter	16-5/16"
Arbor	1"
Max. cutting capacities:	
	at 90° (6-3/16"), at 45° (4-3/16")
No load speed	2,200 RPM
Watts out	1,800
AMPS (120V)	15.0
Overall length	24-1/4"
Net weight	32.1 lbs.
Shipping weight	37.4 lbs.

6-1/2" Plunge Circular Saw (Variable Speed, Electric Brake)

NEW SP6000K / SP6000K1



Delivers a Splinter-Free Mirror Finish

- 12 AMP motor with variable speed control dial (2,000 - 5,200 RPM) for optimum performance in a variety of materials
- Large cutting capacity (2-3/16" at 90°; and 1-9/16" at 45°)
- Bevel capability (-1° to 48°) with positive stops at 22.5° and 45°
- Close to the wall cutting (11/16") for expanded cutting applications

MODEL SP6000K INCLUDES: Carbide tipped blade (48T) (B-07353), Hex blade wrench (783203-8), Stackable tool case

MODEL SP6000K1 INCLUDES: Same as SP6000K plus Guide rail (194368-5)

Specifications:

Blade diameter	6-1/2"
Arbor	20mm (13/16")
Max. cutting capacities:	
	at 90° (2-3/16"), at 45° (1-9/16")
No load speed	2,000 - 5,200 RPM
Watts out	1,800
AMPS (120V)	12.0
Overall length	13-3/8"
Net weight:	SP6000K (9.7 lbs.), SP6000K1 (16.5 lbs.)
Shipping weight:	SP6000K (16.2 lbs.), SP6000K1 (22.9 lbs.)

CAPACITY

Bevel capacity (-1° to 48°) with positive stops at 22.5° and 45°

	Size	Part#
Guide Rail	55"	194368-5
	118"	194367-7
Splinter Guard Replacement Strip	55"	194418-6
	118"	194419-4
Non-Slip Replacement Strip	32.8'	194417-8
Carbide Tipped Saw Blade 48T (SP6000K)	6-1/2"	B-07353
Router Guide Rail Adaptor		194579-2
For use with guard rail		
Clamp Set		194385-5
For use with guard rail		
Rip Fence (SP6000K)		165447-6
Miter Guide Set		194433-0
For use with guard rail		

Carbide-Tipped Saw Blades



Diameter	Blade Type	No. Teeth	Arbor	Grind	Hook	Plate	Kerf	Max. Speed	Part #	Model
4-3/8"	General Purpose	12T	20mm	ATB	22°	.049"	.073"	13,890	A-90093	4200NH
4-3/8"	General Purpose	24T	20mm	ATB	10°	.055"	.078"	13,890	721107-6A	
5-1/2"	General Purpose	18T	5/8"	ATB	20°	.055"	.078"	10,900	792335-0	5005BA
6-1/2"	Crosscutting	48T	20mm	ATB	8°	.062"	.087"	9,250	B-07353	SP6000K/K1
7-1/4"	General Contractor	16T	5/8"	ATB	25°	.049"	.073"	8,300	A-90009-B-10	(10/pk)
7-1/4"	General Contractor	24T	5/8"	ATB	15°	.047"	.071"	8,300	D-24826-10	(10/pk)
7-1/4"	Framing	24T	5/8"	"M"	15°	.047"	.071"	8,300	A-94839-10	(10/pk)
7-1/4"	Coated Framing*	16T	5/8"	ATB	25°	.049"	.073"	8,300	721261-A-10	(10/pk)
7-1/4"	Ultra-Coated Framing*	24T	5/8"	"M"	15°	.047"	.071"	8,300	A-94530-10	(10/pk)
7-1/4"	Fine Crosscutting	40T	5/8"	ATB	20°	.049"	.073"	8,500	721251-A	
8-1/4"	Framing	24T	5/8"	ATB	20°	.051"	.078"	5,700	D-21521	5008FA, 5008MGA
8-1/4"	Fine Crosscutting	40T	5/8"	ATB	20°	.055"	.079"	5,700	792377-A	
10-1/4"	Framing	24T	5/8"	ATB	20°	.063"	.091"	5,870	A-94910	5104, 5201NA
16-5/16"	Beam & Timber	32T	1" (25mm)	ATB	20°	.078"	.109"	3,500	A-90956	
16-5/16"	Beam & Timber	60T	1" (25mm)	ATB	20°	.078"	.109"	3,500	792118-8	5402NA

* For pressure treated / wet lumber

Steel Saw Blades



Diameter	Blade Type	No. Teeth	Arbor	Grind	Hook	Plate	Kerf	Max. Speed	Part #	Model
10-1/4"	General Purpose	36T	25mm*	Chisel	20°	.062"	.093"	5,240	792087-3	5104, 5201NA
16-5/16"	General Purpose	50T	25mm	Chisel	20°	.062"	.093"	2,760	792116-2	5402NA

*5/8" arbor with adaptor ring (257009-5)

Fiber Cement Blades



Diameter	Blade Type	No. Teeth	Arbor	Grind	Hook	Plate	Kerf	Max. Speed	Part #	Material	Model
4"	Carbide-Tipped	16T	20mm	ATAF	10°	.046"	.062"	15,200	A-90439	Fiber-Cement Siding, Roofing, Backerboard	5044KB
7-1/4"	Carbide-Tipped	28T	5/8"	ATB	10°	.059"	.079"	8,250	A-90451	Fiber-Cement Siding, Roofing, Backerboard	5057KB
7-1/4"	Diamond-Tipped	4T	5/8"	PCD	12°	.063"	.087"	8,000	721263-A	Fiber-Cement Siding, Roofing, Backerboard	

Diamond Blades



Description	Blade Diameter	Arbor	Blade Type	Material	Part #
Turbo Rim Constant contact with material delivers a smoother finish than segmented blades	4"	7/8", 5/8", 20mm	General Purpose	Cured Concrete, Block, Brick	A-94546
	4"	7/8", 5/8", 20mm	Hard Materials	Granite, Ceramic, Fire Brick	A-94580
	4-1/2"	7/8", 5/8", 20mm	General Purpose	Cured Concrete, Block, Brick	A-94552
	4-1/2"	7/8", 5/8", 20mm	Hard Materials	Granite, Ceramic, Fire Brick	A-94596
	4-1/2"	7/8", 5/8", 20mm	Soft Materials	Asphalt, Green Concrete, Sand Stone	A-94633
	5"	7/8", 5/8", 20mm	General Purpose	Cured Concrete, Block, Brick	A-94568
	5"	7/8", 5/8", 20mm	Hard Materials	Granite, Ceramic, Fire Brick	A-94605
	5"	20mm	General Purpose	Cured Concrete, Block, Brick	A-90934
	7"	7/8", 5/8"	General Purpose	Cured Concrete, Block, Brick	A-94574
	7"	7/8", 5/8"	Hard Materials	Granite, Ceramic, Fire Brick	A-94611
7"	7/8", 5/8"	Soft Materials	Asphalt, Green Concrete, Sand Stone	A-94649	
Segmented Rim Segment slots help deliver a faster cooler cut in multiple applications	4"	7/8", 5/8", 20mm	General Purpose	Cured Concrete, Block, Brick	A-94677
	4-1/2"	7/8", 5/8", 20mm	General Purpose	Cured Concrete, Block, Brick	A-94683
	5"	7/8", 5/8", 20mm	General Purpose	Cured Concrete, Block, Brick	A-94699
	7"	7/8", 5/8"	General Purpose	Cured Concrete, Block, Brick	A-94714

Circular Saw Accessories



Description	Part #	Model
Offset Wrench	782016-4	5007NK/NFAK, 5007FK/FAK, 5007NHK, 5008FA, 5277NB
Hex Wrench	783203-8	4101RH, 4131, 5740NB
	783204-6	5007MG, 5007MGA, 5008MGA, 5104, 5377MG, 5402NA
Socket Wrench	782209-3	4100NH, 4200NH, 5005BA
Spanner Wrench	781011-1	4100NH, 4100RH, 4200NH, 5201NA
	781203-2	5201NA
Tool Hook	125319-7	5277NB
	125346-4	5377MG, 5477NB
Saw Storage Holder	194701-1	5402NA
Dust Nozzle	450079-5	5008MGA

Circular Saw Accessories (continued)



Description	Part #	Model
Rip Fence	164095-8	4200NH, 5005BA, 5007FAK, 5007FK, 5007NFAK, 5007NK, 5007MG, 5007MGA, 5057KB, 5277NB, 5377MG, 5477NB, 5740NB
	165153-3	5477NB, 5377MG, 5740NB, 5277NB
	164019-4	5201NA, 5402NA
	165499-7	5104
Rip Fence Screw	251858-2	5005BA, 5007FAK, 5007FK, 5007NFAK, 5007NK, 5007MG, 5007MGA, 5057KB, 5277NB, 5377MG, 5477NB, 5402NA
	265701-9	5104
	924316-8	5201NA, 5740NB
	265724-7	4200NH

Fiber Cement Shear Accessories



Description	Part #	Model
Shear Blade Kit	135168-4	
Center Blade	725129-8	JS8000
Side Blades (2 ea.)	725130-3	
Hex Wrench	783221-6	