



[Click Here To View](#)
[Item at](#)

www.GapPower.com

*Sales • Rentals
Parts & Service*

GROUND SHARK™ STANDARD DUTY BRUSH CUTTER

The new **Ground Shark™ Standard Duty Brush Cutter** is designed to clear light to medium density brush and hardwoods up to 4" in diameter. The entirely new drive train runs smooth and quiet while moving easily to clear the toughest material.

- Dual pressure reliefs on the hydraulic motor protect against pressure spikes that could damage the drive system
- If the situation requires, the cutting blades will stop rotating within seconds once the motor is disengaged minimizing the potential for damage to the machine and drive train



Available in 60" (standard flow), 72" (standard/high flow), and 78" (standard/high flow). Hydraulic couplers are included.





New motor and drive train.

An optional pressure gauge indicator easily visible to the operator helps prevent excessive stalling and overheating.




New .25" thick steel deck design.

Bi-directional blades allow the operator to cut in both directions extending operational life and reducing maintenance costs.



Replaceable skid shoes.

Optional dual wheel kits are available that mount to the underside of the front deck to keep the blades off the ground and prevent scalping.



When work needs to get done you need to be able to depend on your equipment. Our brush cutters are designed for maximum reliability, durability, and productivity.

Specifications	We Rent This One						
	STANDARD DUTY						
Model	GSS60	GSS72	GSS78	GSS72	GSS78	GSS72	GSS78
Order Number	30360A	30372A	30378A	30372B	30378B	30372C	30378C
Recommended Hydraulic Flow (GPM)	15-25	15-25	15-25	26-32	26-32	33-40	33-40
Height	24"	24"	24"	24"	24"	27"	27"
Length	76"	88"	94"	88"	94"	88"	94"
Width	64"	76"	82"	76"	82"	76"	82"
Deck Height	9"	9"	9"	9"	9"	9"	9"
Cutting Width	60"	72"	78"	72"	78"	72"	78"
Cutting Capacity	4"	4"	4"	4"	4"	4"	4"
Deck Thickness (Steel)	0.25"	0.25"	0.25"	0.25"	0.25"	0.25"	0.25"
Required Skid-Steer Lift Capacity	1,200 lbs	1,400 lbs	1,500 lbs	1,400 lbs	1,500 lbs	1,500 lbs	1,600 lbs
Weight (Approximate)	1,120 lbs	1,280 lbs	1,365 lbs	1,280 lbs	1,365 lbs	1,320 lbs	1,405 lbs

Specifications	EXTREME DUTY
Model	BC72GS
Order Number	30272
Recommended Hydraulic Flow (GPM)	30-45
Height	28.13"
Length	85.59"
Width	77.38"
Deck Height	9"
Cutting Width	72"
Cutting Capacity	7"
Deck Thickness (Steel)	0.25"
Required Skid-Steer Lift Capacity	2,200 lbs
Weight (Approximate)	2,008 lbs

