



Click Here To View
Item at


www.GapPower.com

*Sales • Rentals
Parts & Service*



Home > Equipment > Trenchers > RTX100

RTX100 Specs

General Dimensions and Weights		
Length (Tractor with Tires)	81.4" 	206.76 cm
Width (Over Rubber Tracks)	32.5"	82.55 cm
Width (Over Rubber Tires)	35"	88.9 cm
Height	46"	116.84 cm
Weight (Tractor with Tires)	910 lbs	412.77 kg
Wheel Base From Centerline of Axles	34.2"	86.87 cm
Tread Width with Rubber Tires (Centerline to Centerline)	8.5"	21.59 cm

Engine Option One		
Make and Model	Honda GX390	
Fuel Type	Gasoline	
Horsepower at Maximum RPM (Gross)	13 hp	9.69 kw
Displacement	23.7 cu-in	0.47 L
Number of Cylinders	1	
Cooling Medium	Forced air	
Aspiration	Natural	
Maximum Operating Angle (Fore/Aft)*	25 deg	
Maximum Operating Angle (Left/Right)*	25 deg	

Engine Option Two		
Make and Model	Kohler CH440	
Fuel Type	Gas	
Gross Horsepower	14 hp	10.44 kw
Displacement	24.7 cu-in	0.4 L
Number of Cylinders	1	
Cooling Medium	Forced air	
Aspiration	Natural	
Maximum Operating Angle (Fore/Aft)*	25 deg	
Maximum Operating Angle (Left/Right)*	25 deg	

Capacities		
Fuel Tank	1.61 gal	6.1 L
Hydraulic Tank	12 gal	45.42 L
Hydraulic System	12.5 gal	47.32 L
Engine Oil	0.3 gal	1.14 L

Hydraulic System		
Attachment Pump Relief Pressure (Trencher/Forward)	2500 psi	172.37 bar
Ground Drive Pump Relief Pressure Forward/Reverse	2400 psi	165.47 bar
Ground Drive Pump gpm at Maximum Engine RPM	5.4 gpm	20.47 L/min
Hydraulic Supply Filter Rating	100 mesh suction strainer	
Attachment Pump gpm at Maximum Engine RPM	8 gpm	30.28 L/min
Hydraulic Return Filter Rating	10 micron	

Ground Drive		
Ground Drive Type	Hydrostatic	
Maximum Forward Transport Speed at Full Throttle	3.27 mph	5.26 km/h
Maximum Reverse Transport Speed at Full Throttle	0.97 mph	1.56 km/h

ATTACHMENTS

Copyright © 2010-2011. Vermeer Corporation. All Rights Reserved.

www.vermeer.com